Control Cont	•			Form Approved	
2. REFORT TYPE AND DATES COVERED			• •		
2. REFORT TYPE AND DATES COVERED					
A REPORT TYPE AND DATES COVERED A USUST 2, 2000 A THE AND SUBTILE Sudies of Dynamically Enhanced Electromagnetic Coupling in Self-Trapped Channel ACHIGORYS Charles K. Rhodes ACHIGORYS ACHIGOR	and completing and reviewing the collection of information Operators Services, Directorate for information Operators	on is estimated to average I hour per response, including ston. Send comment regarding this burden estimates or rations and Reports, 1215 Jefferson Davis Highway, Sui	g the time for reviewing instruction any other aspect of this collection to 1204, Artington, VA 22202-43	ne, scarching existing data sources, gathering and maintaining the data accood, a of information, including suggestions for reducing this burden, to Washington 02, and to the Office of Management and Budget, Paperwork Reduction Project	
August 2, 2000 FINAL Progress (5/3797-5/4/00) Interansistant Coupling in Self-Trapped Channel Authoris Charles K. Rhodes PREFORMING ORGANIZATION NAMES AND ADDRESSES University of Illinois at Chicago/Fhysics Dept. (mc 273) 845 W. Taylor Str., Chicago, IL 60607-7059 1 SPONSONIC MONITORING ACENCY NAMES AND ADDRESSES) U. S. ARMY Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 1 SUPPLIEDIDITARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. 12 A DISTRIBUTION AVAILABLITY STATEMENT Approved for public release; distribution unlimited. 13 ABSTRACT (Meanway 200 week) 14 OSTRIBUTION AVAILABLITY STATEMENT Approved for public release; distribution unlimited. 15 ABSTRACT (Meanway 200 week) 16 OF visualization of Specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at \(\lambda\) = 2.9 A the operation of a new concept capable of producing the ideal conditions for amplification of multikllovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁰ y-s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 15 SCURITY CLASSIFICATION ON BASTRACT ON ON BUSTRACE UNIVERSITED 16 SECURITY CLASSIFICATION ON BASTRACT ON ON BUSTRACE UNIVERSITED 17 SECURITY CLASSIFICATION ON BASTRACT ON ON BUSTR	(0704-0188.) Washington, DC 20503.		3.	REPORT TYPE AND DATES COVERED	
Sudies of Dynamically Enhanced Electromagnetic Coupling in Self-Trapped Channel 6. AUTHORIS Charles K. Rhodes 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) (mc 273) 845 W. Taylor Str., Chicago/Fhysics Dept. (mc 273) 845 W. Taylor Str., Chicago, IL 60607-7059 9. SIONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. ARMY Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Ammy position, policy or decision, unless so designated by other documentation. 12. A DISTRIBUTION/AVAILABLITY STATEMENT Approved for public release; distribution unlimited. 13. ASSTRACT (Mamiera 200 world) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at $\lambda \cong 2.9$ A the operation of a new concept capable of producing the ideal conditions for amplification of multikilovoit x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10.29 \(gamma^{-1}\). The measurement of solid state nanostructures are an array of other applications involving the	1. Addition 552 over (=)	August 2, 20			
DAAG55-97-1-0310 DAAG56-97-1-0310 DAAG56-97-1-0310 DAAG56-97-1-0310 DAAG56-97-1-0310 DAAG56-97-1-0310 DAAG56-97-1-0310 DAAG56-97-1-0310 DAAG55-97-1-0310 DAAG56-97-1-0310 DAAG56-97-10-0310 DAA	4. TITLE AND SUBTITLE	f Description In Enhance		FUNDING NUMBERS	
Charles K. Rhodes 7. FERFORMING ORGANIZATION NAME(S) AND ADDRESSES) (mc 273) 845 W. Taylor Str., Chicago, IL 60607-7059 9. SPONSORIC MONITORING AGENCY NAME(S) AND ADDRESSES) 10. SHOWN ORIGINATION PROPERTY OF ILLIANDS ADDRESSES) 10. SHOWN ORIGINATION NAME(S) AND ADDRESSES) 11. SUPPLEMENTARY NOTES 12. DISTRIBUTION (AVAILABILITY STATEMENT) Approved for public release; distribution unlimited. 12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. ABSTRACT (Meximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An extrapy holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at $\lambda \cong 2.9$ Å the operation of a new concept capable of producing the ideal conditions for amplification of multikiovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microbolography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ ys ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE	Sudies of Dynamically Emmanced Electromagnetic Coupling in Self-Trapped Channel		hannel	DAAG55-97-1-0310	
T. PERFORMING GRCANIZATION NAMICS AND ADDRESS(ES) T. PERFORMING GRCANIZATION NAMICS AND ADDRESS(ES) (mc 273) 845 W. Taylor Str., Chicago, IL 60607-7059 S. SONDRING AMONITORING AGENCY NAMICS AND ADDRESS(ES) U. S. ATMY Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Ammy position, policy or decision, unless so designated by other documentation. 12. L. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution undimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovoit x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁵ γs ⁻¹ mm ⁻² mm ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ³ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. NUMBER OF PAGES 1					
PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Illinois at Chicago/Fhysics Dept. (mc 273) 845 W. Taylor Str., Chicago, IL 60607-7059					
U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. 12. A DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at \(\lambda = 2.9\) A the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ y-s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS 15. SECURITY CLASSIFICATION ON THIS PAGE 16. PRICE CODE 17. SECURITY CLASSIFICATION ON THIS PAGE 18. SECURITY CLASSIFICATION ON THIS PAGE 18. SECURITY CLASSIFICATION ON THIS PAGE 19. SECURITY CLASSIFICATION ON THIS PAGE 19. SECURITY CLASSIFICATION ON THIS PAGE 19. SECURIT	Charles K. Rhodes			PERFORMING ORGANIZATION	
U. S. ATMY RESEARCH Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. 12 a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≅ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10.29 γ·s¹-mm²-mr²-(0.1% Bandwidth)¹, a magnitude that is ~10.5-fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. NUMBER OF PAGES 16. PRICE CODE 16. PRICE CODE 17. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED	University of Illinois at Chicago/Fhysics Dept.			report NUMBER (If not call John Ward -5-30565 at 312-996-5958)	
P.O. Box 12211 Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Amp position, policy or decision, unless so designated by other documentation. 11. ADSTRUBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 11. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁰ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ³ ·fold higher than presently available synchrotron technology. 11. SECURITY CLASSIFICATION ON THAS FACE UNCLASSIFICATION ON THAS FACE UNCLASSIFICED 12. SECURITY CLASSIFICATION ON THAS FACE UNCLASSIFICED 13. SECURITY CLASSIFICED 14. SUBJECT TERMS 15. NUMBER OF FACES 16. PRICE CODE 17. SECURITY CLASSIFICED 18. SECURITY CLASSIFICED 18. SECURITY CLASSIFICED 18. SECURITY CLASSIFICED 18. SEC	9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)				
P.O. Box 12211 Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Ampy position, policy or decision, unless so designated by other documentation. 11. ADSTRUBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 11. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁰ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ³ -fold higher than presently available synchrotron technology. 11. SECURITY CLASSIFICATION ON THIS FACE UNCLASSIFICATION OF ABSTRACT UNCLASSIFIED 12. SECURITY CLASSIFIED 13. NUMBER OF PAGES 14. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED	II S. Army Research Office			20-31-1112 / 04	
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. 12	P.O. Box 12211			ARO 36442.6-17	
Amy position, policy or decision, unless so designated by other documentation. 12 A DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	Research Triangle Park, NC 27	/09-2211			
Amy position, policy or decision, unless so designated by other documentation. 12 A DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	11 SUPPLEMENTARY NOTES				
Approved for public release; distribution unlimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. Subject terms 15. Security Classification on this page UNCLASSIFIED 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 20. Limitation of Abstract UNCLASSIFIED Standard Ferm 279 (Rev. 2-49)	The views commons and/or findings contained in this report are those of the author(s) and should not be constituted as an official and				
Approved for public release; distribution unlimited. 13. ABSTRACT (Maximum 200 words) Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at $\lambda \cong 2.9$ Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10.29 \gamma \sigma^{-1} \cdot \text{mm}^{-2} \cdot \text{mm}^{-2} \cdot \text{cont}^{-2} (0.1% Bandwidth)^{-1}, a magnitude that is ~10.5-fold higher than presently available synchrotron technology. 14. Subject terms 15. Number of pages 16. Price code 16. Price code 17. Security Classification on this page 18. Security Classification of Abstract Unclassified 19. Security Classification On this page 19. Security Classification On this page Unclassified Shadar Ferm 298 (Rev. 1-99)	LA L. RICTURAL TROM CONC.				
Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. CLASSIFIED 11. SECURITY CLASSIFIED 12. SECURITY CLASSIFIED 13. NUMBER OF PAGES 14. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 20. LIMITATION OF ABSTRACT UNCLASSIFIED 10. Security Classified 11. SECURITY CLASSIFIED 12. SECURITY CLASSIFIED 13. SECURITY CLASSIFIED 14. SECURITY CLASSIFIED 15. NUMBER OF PAGES	12 a DISTRIBUTION / AVAILABILITY STATEMENT			6. DISTRIBUTION CODE	
Detailed molecular structural information is of enormous significantic to the inectal and processing communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 17. SECURITY CLASSIFICATION OF ABSTRACT ON THIS PAGE UNCLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. PRICE CODE 11. UNCLASSIFIED 11. SECURITY CLASSIFIED 12. LIMITATION OF ABSTRACT UNCLASSIFIED 12. LIMITATION OF ABSTRACT UNCLASSIFIED 13. NUMBER OF PAGES	Approved for public release; distribution unlimited.				
Detailed molecular structural information is of enormous significantic to the inectal and processing communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 17. SECURITY CLASSIFICATION OF ABSTRACT ON THIS PAGE UNCLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. PRICE CODE 11. UNCLASSIFIED 11. SECURITY CLASSIFIED 12. LIMITATION OF ABSTRACT UNCLASSIFIED 12. LIMITATION OF ABSTRACT UNCLASSIFIED 13. NUMBER OF PAGES	13 ABSTRACT (Maximum 200 words)				
entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D inducations of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. Holographic Imaging, X-Ray Amplification, Biology 15. Number of Pages 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED	Described malegaries etractural information is of enormous significance while incurred and olological				
of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. All x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ mm ⁻² mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. In Subject terms	communities. Since hydrated biologically active structures are small deflecte complex direct 3D modalities				
x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images. The findings presented in this report (1) experimentally demonstrate at λ ≈ 2.9 Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. Subject terms Holographic Imaging, X-Ray Amplification, Biology 15. Number of Pages 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. PRICE CODE 11. SECURITY CLASSIFIED 11. SECURITY CLASSIFIED 12. UNCLASSIFIED Security CLASSIFIED Security CLASSIFIED Security CLASSIFIED	entities, it is essential to have molecular scale spatial resolution, high contrast, distortioniess, and the living state in order to faithfully reveal their full molecular architectures. An				
providing these images. The findings presented in this report (1) experimentally demonstrate at $X = 2.9$ A the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 15. Number of Pages 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 10. Security CLASSIFIED 11. SECURITY CLASSIFIED 12. SECURITY CLASSIFIED 13. SECURITY CLASSIFIED 14. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 10. SECURITY CLASSIFIED 10. SECURITY CLASSIFIED 11. SECURITY CLASSIFIED 12. SECURITY CLASSIFIED 13. SECURITY CLASSIFIED 14. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. SECURITY CLASSIFIED 10. SECURITY CLASSIFIED	to the microscope equipped with an x-ray laser as the illuminator would be uniquely capable of				
operation of a new concept capable of producing the ideal conditions for amplification of infinition of infinition and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. Number of Pages 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT ON THIS PAGE UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED Security CLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED Security Form 278 (Rev. 2-89)	The findings presented in this report (1) experimentally demonstrate at $A = 2.9$ A unc.				
(2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 20. LIMITATION OF ABSTRACT UNCLASSIFIED Sealert Form 298 (Rec. 2-89)	component canable of producing the ideal conditions for amplification of multiplication and in				
biological microholography and likewise serve an array of other applications involving the labiteation and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 15. Number of Pages 16. Price Code 17. Security Classification On This Page UNCLASSIFIED 18. Security Classification Of Abstract UNCLASSIFIED 19. Security Classification Of Abstract UNCLASSIFIED Security Classified 19. Security Classification Of Abstract UNCLASSIFIED Security Classified 19. Security Classified	the final little of a compact versy illuminator that can cost-effectively achieve the mission of A-lay				
measurement of solid state nanostructures. An estimate of the peak originaless achieved in these limitar experiments gives a value of ~ 10 ²⁹ γ·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁵ -fold higher than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT OF ABSTRACT OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED	and libertice serve an array of other applications involving the lautication and				
experiments gives a value of ~ 10 ²⁹ y·s ⁻¹ ·mm ⁻² ·mr ⁻² (0.1% Bandwidth) ⁻¹ , a magnitude that is ~10 ⁻¹ -fold nigner than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT OF ABSTRACT OF ABSTRACT OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. Security CLASSIFIED 11. SECURITY CLASSIFIED 12. SECURITY CLASSIFIED 13. SECURITY CLASSIFIED 14. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 17. SECURITY CLASSIFICATION OF ABSTRACT 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 10. SECURITY CLASSIFIED 10. SECURITY CLASSIFIED 11. SECURITY CLASSIFIED 12. SECURITY CLASSIFIED 13. SECURITY CLASSIFIED 14. SECURITY CLASSIFIED 15. NUMBER OF PAGES 16. PRICE CODE 16. PRICE CODE 17. SECURITY CLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED 19. SECURITY CLASSIFIED	. c - 1:1 -tota managinistings An estimate of the neak privilliess achieved in these initial				
than presently available synchrotron technology. 14. SUBJECT TERMS Holographic Imaging, X-Ray Amplification, Biology 16. PRICE CODE 17. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT UNCLASSIFIED UNCLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED Standard Form 298 (Rev. 2-89)	experiments gives a value of $\sim 10^{29} \text{ y·s}^{-1} \cdot \text{mm}^{-2} \cdot \text{mr}^{-2} (0.1\% \text{ Bandwidth})^{-1}$, a magnitude that is $\sim 10^{-1010} \text{ higher}$				
Holographic Imaging, X-Ray Amplification, Biology 16. PRICE CODE 17. SECURITY CLASSIFICATION OR REPORT ON THIS PAGE UNCLASSIFIED 18. SECURITY CLASSIFIED 19. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT UNCLASSIFIED 19. SECURITY CLASSIFIED 20. LIMITATION OF ABSTRACT UNCLASSIFIED Standard Form 298 (Rev.2-89)	than presently available synchrotron technology.				
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT OF ABSTRACT UNCLASSIFIED UNCLASSIFIED Standard Form 298 (Rev.2-89)				13. HUMBER OF FAULS	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED 18. SECURITY CLASSIFICATION OF ABSTRACT OF ABSTRACT OF ABSTRACT UNCLASSIFIED UNCLASSIFIED Standard Form 298 (Rev.2-89)	Unlographic Imaging	X-Ray Amplification	Biology	16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED 18. SECURITY CLASSIFIED OF ABSTRACT OF ABSTRACT UNCLASSIFIED UNCLASSIFIED UNCLASSIFIED Standard Form 298 (Rev.2-89)	1010910kura				
OR REPORT ON THIS PAGE OF ABSTRACT UL UNCLASSIFIED UNCLASSIFIED UNCLASSIFIED Standard Form 298 (Rev.2-89)	THE PROPERTY OF A CONTROL THOSE	18 SECURITY CLASSIFICATION	19. SECURITY CLASSI	FICATION 20. LIMITATION OF ABSTRACT	
UNCLASSIFIED Standard Form 298 (Rev.2-89)	OR REPORT	ON THIS PAGE		SIF LED	
NSN 7540-01-280-5500 Prescribed by ANSI Sed. 239-18	UNCLASSIFIED NSN 7540-01-280-5500	UNCLUSSIFIED		Standard Form 298 (Rev.2-89)	

20001122 079

298-102

FINAL PROGRESS REPORT

DAAG55-97-1-0310

Studies of Dynamically Enhanced Electromagnetic Coupling in Self-Trapped Channel

Award End Date: 4 May 2000

(1) FOREWORD

Ideal conditions for x-ray amplification in the multikilovolt spectral region combine an exceptional set of circumstances. They are summarized by the production of cold, low opacity, spatially directionally organized, and vigorously $(10^{19}-10^{20}~{\rm W/cm^3})$ inner-shell state-selectively excited high-Z matter. The results reported below establish that the alliance of two recently studied phenomena, (α) the direct multiphoton excitation of hollow atoms from clusters with ultraviolet radiation and (β) a nonlinear mode of confined propagation in plasmas resulting from relativistic/charge-displacement self-channeling, can successfully produce the union of this demanding set of requirements. Experimental evidence and corresponding theoretical analyses have led to the conclusion that the hollow atom Xe(L) emission at $\lambda \cong 2.9$ Å generated by 248 nm excitation of Xe clusters in a self-trapped channel closely represents the ideal conditions sought for x-ray amplification. Specifically, on the basis of (a) a detailed examination of Xe(L) spectral data, (b) theoretical analyses of the mechanisms of cluster excitation and channeled propagation, and (c) calibrated measurements of the Xe(L) energy yield, the exponential gain constant g_L is estimated to reach a value of $g_L = 60 \pm 20~{\rm cm}^{-1}$, a range approximately two orders of magnitude above the competing absorptive losses. The measurements described herein confirm these assessments.

Detailed molecular structural information is of enormous significance to the medical and biological communities. Since hydrated biologically active structures are small delicate complex three-dimensional (3D) entities, it is essential to have molecular scale spatial resolution, high contrast, distortionless, direct 3D modalities of visualization of specimens in the living state in order to faithfully reveal their full molecular architectures. An x-ray holographic microscope equipped with an x-ray laser as the illuminator would be uniquely capable of providing these images [1,2]. The findings presented in this report (1) experimentally demonstrate at $\lambda \cong 2.9$ Å the operation of a new concept capable of producing the ideal conditions for amplification of multikilovolt x-rays and (2) prove the feasibility of a compact x-ray illuminator that can cost-effectively achieve the mission of x-ray biological microholography and likewise serve an array of other important applications involving the fabrication and measurement of solid state nanostructures. An estimate of the peak brightness achieved in these initial experiments gives a value of $\sim 10^{29} \gamma \cdot \text{s}^{-1} \cdot \text{mm}^{-2} \cdot \text{mr}^{-2} (0.1\% \text{ Bandwidth})^{-1}$, a magnitude that is $\sim 10^5$ -fold higher than presently available synchrotron technology [3].

(2), (3) NA.

(4) STATEMENT OF PROBLEM STUDIED

The development of methods for the compression of power in materials is one of the oldest endeavors of mankind with an origin that precedes the Stone Age. From the use of a wooden club to the contemporary production of vigorous thermonuclear environments, the achievable power density (W/cm^3) has been advanced by approximately a factor of 20 orders of magnitude (~ 10^{20}). New processes, involving the nonlinear interaction of intense (~ $10^{18}-10^{21}$ W/cm²) fs pulses of radiation with matter were explored to enhance further the controlled production of these environments to a new ultrahigh level (~ $10^{19}-10^{21}$ W/cm³), a range that can approach ≈ 100 W/atom.

FINAL PROGRESS REPORT

DAAG55-97-1-0310

Studies of Dynamically Enhanced Electromagnetic Coupling in Self-Trapped Channel Award End Date: 4 May 2000

(5) <u>Summary of the Most Important Results</u> See attached paper.

(6) LIST OF PUBLICATIONS

- 1. "Energetic Electronic Ensembles: New Rules for the Interaction of Radiation with Matter," C. K. Rhodes and G. Marowsky, *Appl. Phys.* B66, 475 (1998).
- 2. "Theoretical/Experimental Studies of Ultraviolet High-Power Density Self-Trapped Channels," A. B. Borisov, B. D. Thompson, A. McPherson, F. Omenetto, T. Nelson, W.A. Schroeder, K. Boyer, and C. K. Rhodes, in *Superstrong Fields in Plasma*, edited by M. Lontano et al. (American Institute of Physics, New York, 1998) p.322.
- 3. "Stable Relativistic/Charge Displacement Channels in Ultrahigh Power Density (~10²¹ W/cm³) Plasmas," A. B. Borisov, J. W. Longworth, K. Boyer, and C. K. Rhodes, *Proc. Natl. Acad. Sci. USA* 95, 7854 (1998).
- 4. "Stability of Protein Folding: Prion Production Through the Induction of Singularities on the Optimal Path," J. W. Longworth, Y. Dai, A. B. Borisov, and C. K. Rhodes, manuscript in preparation.
- 5. "Pump Laser Wavelength-Dependent Control of the Efficiency of Kilovolt X-Ray Emission from Atomic Clusters," W. Andreas Schroeder, F. G. Omenetto, A. B. Borisov, J. W. Longworth, A. McPherson, C. Jordan, K. Boyer, K. Kondo and C. K. Rhodes, *J. Phys. B* 31 5031 (1998).
- 6. "Dynamics of Optimised Stable Channel Formation of Intense Laser Pulses with the Relativistic/Charge-Displacement Mechanism," A. B. Borisov, S. Cameron, Y. Dai, J. Davis, T. Nelson, W. A. Schroeder, J. W. Longworth, K. Boyer, and C. K.Rhodes, *J. Phys. B* 32, 3511 (1999).
- 7. "Gamma-Ray Bursts and the Particle Mass Scale," Yang Dai, Alex B. Borisov, James W. Longworth, Keith Boyer, and Charles K. Rhodes. <u>Proceedings of the International Conference on Electromagnetics in Advanced Applications</u>, edited by R. Graglia (Politecnico di Torino, Torino, Italy, 1999) p.3.
- 8. "Study of Plasma Channel Bifurcation in the Propagation of Intense Ultraviolet Pulses with the Relativistic/Charge-Displacement Mechanism," Alex B.Borisov, S. Cameron, Yang Dai, W.A. Schroeder, James W. Longworth, Keith Boyer, and Charles K. Rhodes <u>Proceedings of the International Conference on Electromagnetics in Advanced Applications</u>, edited by R. Graglia (Politecnico di Torino, Torino, Italy, 1999) p.15.
- 9. "Hollow Atom Production By a Shell-Selective Collisional Ejection Process in Clusters and Solids Xe(L) and Ba(L)," Thomas R. Nelson, A. B. Borisov, S. Cameron, J. W. Longworth, T. S. Luk, W. A. Schroeder, J. Santoro, A. J. VanTassle, and C. K. Rhodes, X-Ray and Inner-Shell Processes, Chicago, 1999.

FINAL PROGRESS REPORT

DAAG55-97-1-0310

Studies of Dynamically Enhanced Electromagnetic Coupling in Self-Trapped Channel Award End Date: 4 May 2000

- 10. "An Efficient, Selective Collisional Ejection Mechanism for Inner-Shell Population Inversion in Laser Driven Plasmas," W. A. Schroeder, T. R. Nelson, A. B. Borisov, J. W. Longworth, K. Boyer, and C. K. Rhodes, submitted to *J. Phys.* B.
- 11. "Bifurcation Mode of Relativistic and Charge-Displacement Self-Channeling," A. B. Borisov, S. Cameron, T. S. Luk, T. R. Nelson, A. Van Tassle, J. Santoro, W. A. Schroeder, Y. Dai, J. W. Longworth, K. Boyer, and C. K. Rhodes, submitted to *J. Phys.* B, May, 2000.

(7) PARTICIPATING SCIENTIFIC PERSONNEL

Thomas R. Nelson Brad Thompson Fiorenzo Omennetto

(8) <u>Inventions</u>

No inventions reported.

(9) BIBLIOGRAPHY

See attached paper.

(10) NA.